

High Temperature Range Thermo Camera Now Available!

Up to 1200°C detection!


This New ARTCAM-THERMO Series Product Suits Industrial Furnaces and Boilers, and Satisfies the Needs for Molding/Forging Temperature Management.

without announcement.
Sorry for inconvenience in advance.

Specifications

Detector Type	: Uncooled Microbolometer (Built in peltier device)
Detected Wavelength	: 8~14 μ m
Effective Pixels	: QVGA 320x240
Pixel Pitch	: 23.5 μ m
Operability	: >98%
Thermal Time Constant	: 16msec typ.
8mm Lens FOV	: 50° (H)x37.5° (V)
16mm Lens FOV	: 26° (H)x20° (V)
Booting Time	: \leq 15sec
Measure Range	: \pm 5%
Measure Range	: 30fps
Power	: DC12V
Electricity Consumption	: Below 10W
Running Temperature	: 0~35°C (Below 80% Non Condensing)
Dimension	: 72(W)x62(H)x112(D)mm

Item List : ARTCAM-320-THERMO-H1200
3m USB2.0 cable, Instruction manual
CD (Device driver software, Viewer software, Software manual)
DC 12V, 1A Adapter, Infrared Thermometer



Sample Image : Black body



USB2.0 High temperature range thermo camera

ARTCAM-320-THERMO-H1200

TASHIKA CO., LTD.

1-12, Kaiyo-cho, Ashiya, 659-0035, JAPAN

Tel: + 81-797-23-9035 Fax: + 81-797-23-2105

e-mail: sales@tashika.co.jp URL: www.tashika.co.jp